




ZendCon 2009 - San Jose, US

Derick Rethans - dr@ez.no - @derickr

<http://derickrethans.nl/talks.php> - <http://joind.in/891>



Derick Rethans

derick@php.net

- Dutchman living in London
- Project lead for eZ Components at eZ Systems A.S.
- PHP development
- Author of the mcrypt, input\_filter and date/time extensions
- Author of Xdebug

# How did it start?

```
[derick@localhost derick]$ cat recursive.php
<?php
    function a() {
        a();
    }

    a();
?>
[derick@localhost derick]$ php recursive.php
Segmentation fault
```

- Stack overflow in PHP
- Infinite recursion

Xdebug protects with:

```
xdebug.max_nesting_level=4
```

**(!)** Fatal error: Maximum function nesting level of '4' reached, aborting!  
in /home/httpd/html/test/xdebug/infinite.php on line 11

#### Call Stack

#	Time	Memory	Function	Location
1	0.0008	62864	{main}()	../infinite.php:0
2	0.0009	63528	a()	../infinite.php:14
3	0.0009	63604	b()	../infinite.php:6

**Warning:** fopen(ezcmailtest) [[function.fopen](#)]: failed to open stream: No such file or directory in /home/httpd/html/test/ezc/dr\_mail\_test.php on line 147

... is kinda useless.

**(!)** ezcMailTransportException: An error occurred while sending or receiving mail. Failed to connect to the server: dolly.ez.no:ezcomponents. in /dat/dev/ezcomponents/trunk/Mail/src/transport/transport\_connection.php on line 57

**Call Stack**


#	Time	Memory	Function	Location
1	0.0005	53512	{main}()	../dr_mail_test.php:0
2	0.0237	554800	ezcMailPop3Transport->__construct(string(11), string(12), string(12))	../dr_mail_test.php:8
3	0.0256	594140	ezcMailTransportConnection->__construct(string(11), string(12))	/home/httpd/html/test/ezc/dr_mail_test.php:101 ../pop3_transport.php:101

**Variables in local scope (#3)**

\$server	= 'dolly.ez.no' (length=11)
\$errno	= 111
\$port	= 'ezcomponents' (length=12)
\$errstr	= 'Connection refused' (length=18)
\$timeout	= 5

xdebug.collect\_params=1 and xdebug.show\_local\_vars=1

demo



**(!)** ezcMailTransportException: An error occurred while sending or receiving mail. Failed to connect to the server: dolly.ez.no:ezcomponents. in /dat/dev/ezcomponents/trunk/Mail/src/transport/transport\_connection.php on line 57

**Call Stack**

#	Time	Memory	Function	Location
1	0.0008	54776	{main}()	../dr_mail_test.php:0
2	0.0206	556600	ezcMailPop3Transport->__construct(string(11), string(12), string(12), array(3) )	../dr_mail_test.php:8
3	0.0223	595860	ezcMailTransportConnection->__construct(string(11), string(12) )	../pop3_transport.php:101

**Dump \$\_GET**

```
$_GET['secret'] = 'hemmelig' (length=8)
```

xdebug.dump.GET=\*


xdebug.dump.POST=username,password

Also for: COOKIE, ENV, FILES, REQUEST, SERVER and SESSION

```
array
  0 => null
  1 => 3.141592654
  2 =>
    array
      'dutch' =>
        object(locale)[1]
          public 'lang' => 'nl' (length=2)
          public 'variation' => 'NL' (length=2)
          public 'charsets' =>
            array
              0 => 'iso-88591' (length=9)
              1 => 'iso-8859-15' (length=11)
          private 'mb_supported' => false
          protected 'self' =>
            &object(locale)[1]
          protected 'id' => 1
```

```
<?php
ini_set( 'xdebug.var_display_max_data', 25 );
ini_set( 'xdebug.var_display_max_depth', 4 );
ini_set( 'xdebug.var_display_max_children', 32 );

xdebug_var_dump(); // or just var_dump()
?>
```



```
mc - kossu.home.derickrethans.nl:~/j/pilot/Backup - [derick@kossu]
27.6247 17664184 -> ezcTemplateExpressionSourceToTstParser->__construct
27.6248 17664184 -> ezcTemplateSourceToTstParser->__construct() /Temp
27.6250 17664248 -> ezcTemplateSourceToTstParser->parseRequiredType() /
27.6251 17664248 -> is_string() /Template/src/parsers/source_to_tst/i
27.6252 17664248 -> is_object() /Template/src/parsers/source_to_tst/i
27.6252 17664248 -> ezcTemplateSourceToTstParser->parse() /Template/s
27.6253 17664248 -> ezcTemplateExpressionSourceToTstParser->parseCu
27.6256 17664248 -> ezcTemplateSourceToTstParser->findNextElement
27.6256 17664248 -> ezcTemplateCursor->atEnd() /Template/src/pa
27.6257 17664248 -> strlen() /Template/src/cursor.php:87
27.6258 17664248 -> ezcTemplateSourceToTstParser->skipWhitespac
27.6258 17664248 -> ezcTemplateCursor->atEnd() /Template/src/
27.6259 17664248 -> strlen() /Template/src/cursor.php:87
27.6260 17664248 -> ezcTemplateCursor->pregMatch() /Template/
27.6260 17664248 -> strlen() /Template/src/cursor.php:340
27.6261 17664248 -> substr() /Template/src/cursor.php:343
27.6262 17664760 -> preg_match() /Template/src/cursor.php:3
27.6263 17664392 -> strlen() /Template/src/parsers/source to
/tmp/trace.2310770352.xt 1,4 ALL
```

## Some settings:


```
xdebug.auto_trace=1
xdebug.trace_output_dir=/tmp
xdebug.collect_params=1
xdebug.collect_return=1
xdebug.trace_output_name=trace.%c
```

- **Specifiers:**

[http://xdebug.org/docs/execution\\_trace#trace\\_output\\_name](http://xdebug.org/docs/execution_trace#trace_output_name)

# Execution trace to file

## Automatic readable format



```
[derick@kossu]
File Edit View Terminal Tabs Help
Version: 2.0.0dev
TRACE START [2004-08-28 21:12:37]
1 0 0 0.001881 57336 {main} 1 /home/httpd/pres2/show.php 0
2 1 0 0.002255 57336 error_reporting 0 /home/httpd/pres2/show.php 2
2 1 1 0.002332 57344
2 2 0 0.002862 64360 require_once 1 /home/httpd/pres2/config.php /home/httpd
2 2 1 0.003043 65576
2 3 0 0.003120 62840 compact 0 /home/httpd/pres2/show.php 7
2 3 1 0.003225 63816
2 4 0 0.003459 66824 require_once 1 /home/httpd/pres2/sniff.php /home/httpd/pre
3 5 0 0.003563 66832 strstr 0 /home/httpd/pres2/sniff.php 4
3 5 1 0.003641 66832
2 4 1 0.003696 66888
2 6 0 0.003748 64160 set_time_limit 0 /home/httpd/pres2/show.php 10
2 6 1 0.003855 64160
2 7 0 0.003893 64160 strlen 0 /home/httpd/pres2/show.php 11
2 7 1 0.003949 64160
2 8 0 0.005437 99816 require_once 1 /home/httpd/pres2/XML_Presentation.php /ho
3 9 0 0.010074 143232 require_once 1 /usr/local/lib/php/XML/Parser.php /home/h
4 10 0 0.014375 250952 require_once 1 /usr/local/lib/php/PEAR.php /usr/local/lib/
5 11 0 0.014486 250992 define 0 /usr/local/lib/php/PEAR.php 25
5 11 1 0.014576 250992
/tmp/trace.2043925204.xt [R0] 1,1 Top
```

```
xdebug.auto_trace=1 ; enable tracing
xdebug.trace_format=1 ; selects computerized format
xdebug.trace_options=0 ; sets extra option (1 = append)
```

- HTML traces
- Tracing only parts of an application with `xdebug_start_trace()` and `xdebug_stop_trace()`.
- Fetching the trace file name that is being used with `xdebug_get_tracefile_name()`.
- Changing how much data is shown with `xdebug.var_display_max_children`, `xdebug.var_display_max_data` and `xdebug.var_display_max_depth`.

demo

```
34 public function __construct()  
35 {  
36     $args = func_get_args();  
37     parent::__construct( array() );  
38     foreach ( $args as $part )  
39     {  
40         if ( $part instanceof ezcMailPart )  
41         {  
42             $this->parts[] = $part;  
43         }  
44         elseif( is_array( $part ) ) // add each  
45         {  
46             foreach ( $part as $array_part )  
47             {
```

## Available functions:


```
xdebug_start_code_coverage();  
xdebug_get_code_coverage();  
xdebug_stop_code_coverage();
```

Options to `xdebug_start_code_coverage()`:

- `XDEBUG_CC_UNUSED`: Enables scanning of code to figure out which line has executable code.
- `XDEBUG_CC_DEAD_CODE`: Enables branch analyzation to figure out whether code can be executed.
- <http://kossu/coverage/index.html>

# Profiling


## KCacheGrind's Flat Profile and Call List



```
xdebug.profiler_enable=1           ; enable profiler
xdebug.profile_output_dir=/tmp     ; output directory
xdebug.profile_output_name=cachegrind.out.%p
```

ezsessionstart

Info   Call Lists   Coverage   **Call Graph**   Source



```

...
    include( $autoloadFile );
...
    include( $autoloadFile );
...
    include( $autoloadFile );
...

```

3.717	One call to 'include:lib/eztemplate/classes/eztempl...
1.989	One call to 'include:kernel/common/eztemplateautol...
0.126	One call to 'include:lib/ezpdf/classes/eztemplateaut...

demo

- DBGp, common Debugging protocol
- Cross-language: PHP, Python, Perl...
- Supported in Xdebug 2
- Clients: Komodo, Eclipse/PDT, Zend Studio for Eclipse, Netbeans (and many others smaller ones)
  - Other clients and plugins:

Zend Studio "hack":

-

## php.ini settings:

```
xdebug.remote_enable=1  
xdebug.remote_handler=dbgp  
xdebug.remote_mode=req  
xdebug.remote_host=localhost  
xdebug.remote_port=9000  
xdebug.extended_info=1
```

## On the shell:

```
export XDEBUG_CONFIG="idekey=xdebugrocks"
```

## With a browser:

```
http://pres/show.php?
```

```
XDEBUG_SESSION_START=xdebugrocks
```

## With a firefox extension:

```
http://bit.ly/x6bf4
```

demo



- Xdebug site: <http://xdebug.org>
- Xdebug documentation: <http://xdebug.org/docs.php>
- DBGp specification: <http://xdebug.org/docs-dbgp.php>
- These slides: <http://derickrethans.nl/talks.php>
- Questions?: [derick@xdebug.org](mailto:derick@xdebug.org)